SHELLS

FOR EVERY OCCASION...

TO KNIT AND CROCHET



No. 8813
(Page 22)

VOL. 88 – 50¢

Revised Edition

FLEISHER · *Bear Brand* · BOTANY

Style No. 8817 (left)

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

		Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SOUFFLÉ		4 balls	4 balls	5 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4

GAUGE: Size 5 Needles — 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Width at bustline	inches	33	35	37
Width of back at underarm	inches	16½	17½	18½

BACK—With size 4 needles, cast on 82 (88-94) sts for facing of hem. P 1 row, k 1 row for 4 rows. K next row on wrong side for turning ridge, inserting needle into back loop of each st. Work in stockinette st—k 1 row, p 1 row—for 5 rows. K next row on wrong side for ridge at top of hem, inserting needle into back loop of each st. With size 5 needles continue in stockinette st—k 1 row, p 1 row—until 11¾ ins. above turning ridge. Mark for underarm.

Armholes—Bind off 5 (6-7) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4-5) times: 66 (68-70) sts. Work even until armhole measures 4 (4¼-4½) ins. above marker, end with a k row.

Divide for Neck—P 21 (22-23) sts, place these sts on holder for left side; p next 24 sts and place them on a separate holder for neck; p to end, 21 (22-23) sts for right side.

Right Side—Continue in stockinette st, decreasing 1 st at neck edge every row 8 times. Work even until armhole measures 6¾ (7-7¼) ins. above marker, end on wrong side at armhole edge.

Shoulder—Bind off 6 (7-8) sts, finish row. Work 1 row even. Bind off 7 sts.

Left Side—From wrong side slip sts from holder to size 5 needle. From right side join yarn at neck edge, complete to correspond to right side.

FRONT—Work same as back.

NECK BORDER and FACING—BACK—Join yarn at back neck edge at right shoulder; from right side, with size 4 needle pick up and k 20 sts on right neck edge, take up and k 24 sts from holder, pick up and k 20 sts on left neck edge to shoulder; 64 sts. K next row on wrong side for ridge, inserting needle in back loop of each st. K 1 row, p 1 row for 5 rows. K next row on wrong side for turning ridge, inserting needle in back loop of each st. K 1 row, p 1 row, k 1 row, p 1 row. Bind off loosely.

FRONT—Join yarn at neck edge at left shoulder and work same as for back. Sew shoulder seams, sewing side edges of neck hems tog.

ARMHOLE BORDER and FACING—From right side, join yarn at underarm edge. pick up and k 78 (82-86) sts around armhole. Finish same as for neck.

FINISHING — Sew underarm seams. Turn back all facings along turning ridges and hem to wrong side. Soufflé needs no blocking, see page 27.

Style No. 8818 (right)

Instructions are for sizes 12, 14, 16, 18, *see body measurement chart,* page 27.

	Sizes	**12**	**14**	**16**	**18**
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SOUFFLÉ	balls	3	3	4	4

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size E (2).

GAUGE: 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**	**38 in. Bust**
Width at bustline	inches	35	36½	38	40
Width of back at underarm	inches	17½	18¼	19	20
BACK—With size 5 needles, cast on	sts	87	91	95	100
Work stockinette st—p 1 row, k 1 row—until 11 ins. from beg., end with p row. Mark for underarm.					
Armholes—Bind off at beg. of each of next 2 rows	sts	5	5	6	8
Dec. 1 st each side every 2nd row 5 times	sts	67	71	73	74
Work even until armhole measures above underarm marker	ins.	5¼	5¼	5½	5½
end with p row.					
Divide for Neck—K and place on strand of yarn for right half	sts	24	26	27	27
bind off for neck edge	sts	19	19	19	20
finish row	sts	24	26	27	27

(Continued on Page 25)

Copyright MCMLXV in U.S.A. and Canada, Bernhard Ulmann Company

Style No. 8811

Sizes 10-12,

Instructions are for size 10-12, changes for size 14- page 27.

MATERIALS: **BUCILLA BROCADE,**
BUCILLA GLAMOUR TRIM KIT, (Optional

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 6— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Crochet Hook, Size 1.

GAUGE: KNITTED GAUGE — 7 sts = 1 inch
BLOCKED GAUGE — 6 sts = 1 inch
To check gauge, see page 27.

Note: A swatch should be worked in pat. and **blocked** before beg. shell to make sure that your blocked gauge agrees with blocked gauge given above.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....
Width of back—armhole to armhole .....
Length from lower edge to underarm ....
Length from lower edge to shoulder .....
Width of each shoulder .....

Pattern is a multiple of 4 sts.

Row 1—wrong side—* K 2, p 2; repeat from * to end.

Row 2—* P 2, k 2; repeat from * to end.

Row 3—* P 2, k 2; repeat from * to end.

Row 4—* K 2, p 2; repeat from * to end.

Style No.

Sizes 12-14

Instructions are for size 12-14, changes for size 16- page 27.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY** 2 oz. skeins

CROCHET HOOKS: "Boye" Aluminum Hook, Size F— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Afghan Hook, Size F.

GAUGE: Size F Aluminum Hook — 1 pattern — 10 sts 5 rows
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....

BACK—With size F aluminum hook, ch 94 (104) sts.

Row 1—1 dc in 6th st from hook, 1 dc in each of next 6 sts, ch 1, skip 1 st, 1 dc in next st, * ch 1, skip 1 st, 1 dc in each of next 7 sts, ch 1, skip 1 st, 1 dc in next st; repeat from * to end; 91 (101) sts.

Row 2—right side—Ch 3, turn, skip first dc, work 1 dc in ch 1, ch 1, skip 1 dc, 1 dc in each of next 5 dc, * ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in next dc,

(left) *(Also Shown on Back Cover)*
14-16

16 are in parentheses, *see body measurement chart.*

	Size 10-12	Size 14-16
	8 balls	9 balls
—see back cover)	2 kits	2 kits

10 rows = 1 inch
9 rows = 1 inch

To fit	30-32 in. Bust	34-36 in. Bust
.....inches	34½	38½
.....inches	17¼	19¼
.....inches	14½	16
.....inches	11½	11
.....inches	19	19
.....inches	3½	4

Repeat these 4 rows for pat.

Note: Mark first row of each piece for wrong side.

BACK—Cast on 104 (116) sts. Work in pat. for 104 (98) rows—about 10½ (10) ins., to be blocked to 11½ (11) ins.—end on right side with pat. row 4 (2). Mark for underarm.

(Continued on Page 6)

8823 *(right)*
and 16-18

18 are in parentheses, *see body measurement chart,*

WINSOM,

	Size 12-14	Size 16-18
	5 skeins	6 skeins

= 2 inches
= 2 inches

To fit	32-34 in. Bust	36-38 in. Bust
.....inches	36	40
.....inches	18	20

1 dc in ch 1, ch 1, skip 1 dc, 1 dc in each of next 5 dc; repeat from *, end ch 1, skip 1 dc, 1 dc in each of next 2 ch sts.

Note: Ch 3 at beg. of row is counted as first st.

Row 3—Ch 3, turn, skip first dc, work 1 dc in next dc, 1 dc in ch 1, * ch 1, skip 1 dc, 1 dc in each of next 3 dc, ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in each of next 3 dc, 1 dc in ch 1; repeat

(Continued on Page 24)

Style No. 8806

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BUCILLA PARADISE, 1 oz. skein	9 skeins	10 skeins	11 skeins

KNITTING NEEDLES: 1 pair "Boye" Aluminum Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Aluminum Needles, Size 4.

GAUGE: Size 5 Needles —
Stockinette St — 6 sts = 1 inch **9 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
At bustline	inches	33	35	37
Width of back at underarm	inches	16½	17½	18½

BACK—With size 4 needles, cast on 90 (96-102) sts for facing. P 1 row, k 1 row for 14 rows, end with k row.

Next row—turning ridge—wrong side —K 1, * yo, k 2 tog.; repeat from *, end k 1. K 1 row, p 1 row for 15 rows. † K 1 row on wrong side.

Next row—K 1, * yo, k 2 tog.; repeat from *, end k 1.
K 1 row.†

K next row increasing 10 sts evenly spaced across row; 100 (106-112) sts.

With size 5 needles, work even in stockinette st—p 1 row, k 1 row—until 10 ins. above inc. row or about 12 ins. above turning ridge, end with p row. Mark for underarm.

Armhole Facing and Armhole Shaping —Cast on 5 (5-5) sts at beg. of each of next 2 rows for armhole facing; 110 (116-122) sts.

Next row—K 4, hold yarn at back of work, slip 1 st as to p for turning st of facing, k 3, slip, k and pass—armhole dec.—, k to within 10 sts of end, k 2 tog.—armhole dec.—, k 3, slip 1 st as before for turning st, k 4.

P 1 row. Repeat last 2 rows 9 (9-10) times; 90 (96-100) sts.

Work even continuing the slip st on k rows after the first 4 sts and before the last 4 sts until about 5 (5-5¼) ins. above underarm marker, end with k row. Repeat the 3 rows between †'s once.

With size 4 needles, continuing the slip st on armhole facing as before, work 13 rows even, end with k row. Bind off 4 sts at beg. of each of next 2 rows.

Turning ridge—wrong side—K 1, * yo, k 2 tog.; repeat from *, end k 1.
Bind off 5 sts at beg. of each of next 2 rows; 72 (78-82) sts. Work 14 rows even. Bind off as to k.

FRONT—Work same as back.

FINISHING — Sew underarm seams. Turn back facings of neck and lower edge to wrong side and hem. Turn armhole facings to wrong side and hem. Sew side edge of neck facing to armhole facing. Tack turning ridge at neck of back and front for about 2 ins. on each side for shoulders, sewing neatly through each point. Block, see page 27.

Style No. 8811 *(Continued from Page 5)*

Note: Extra length of armholes compensates for difference in length to underarm.

Armholes—Bind off 4 (6) sts at beg. of each of next 2 rows; 96 (104) sts. Work 1 row even.

Dec. row—With care to keep pat., work first 2 sts, work next 2 sts tog., work to within 4 sts of end, work next 2 sts tog., work last 2 sts; 94 (102) sts.
With care to keep pat., repeat last 2 rows 3 times; 88 (96) sts. Work even in pat. until 42 (48) rows above marker, end on right side.

Neck Shaping — Work 26 (28) sts, place on holder for left side, bind off 36 (40) sts for neck, work remaining 26 (28) sts.

Right Side — With care to keep pat., dec. 1 st at neck edge in same manner as for armhole shaping, every 2nd row 4 times; 22 (24) sts. Work even for 17 rows.
Bind off for shoulder.

Left Side — Slip sts from holder to needle. Join yarn at neck edge and complete to correspond to right side, reversing shaping.

FRONT—Work same as back.

FINISHING — Block pieces to measurements, see page 27. Sew side and shoulder seams.

Work 1 row sc around neck, armholes and lower edge, with care to keep work flat.

Embroider with Glamour Trim if desired.

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8807

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see body measurement chart,* page 27.

		Size 12-14	Size 16-18
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SUPRA MOHAIR		5 balls	5 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 10 Needles — 4 sts = 1 inch 5 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32-34 in. Bust**	**36-38 in. Bust**
Width at bustline	inches	35	39
Width of back at underarm	inches	17½	19½

BACK—With size 6 needles, cast on 68 (74) sts. Work k 2, p 2 ribbing for 15 rows, increasing 2 (4) sts evenly spaced across last row; 70 (78) sts.

With size 10 needles, work stockinette st—k 1 row, p 1 row—until there are 48 rows—about 9½ ins.—above ribbing, end on wrong side. Mark for underarm.

Cast on 4 sts at beg. of each of next 2 rows for armhole facing; 78 (86) sts.

First dec. row—K 4, with yarn at back, slip 1 as to p for turning st, k 1, slip, k and pass, k to within 8 sts of end, k 2 tog., k 1, slip 1 for turning st, k 4. P 1 row.

Repeat last 2 rows 6 (7) times; 64 (70) sts. Work even until there are 32 (36) rows—about 6½ (7) ins. above underarm marker, end on wrong side.

Shoulders—Bind off 12 (14) sts at beg. of next row as to k, work to end.

Next row—Bind off 12 (14) sts as to p, k to end for turning ridge inserting needle in back loop of sts; 40 (42) sts.

K 1 row, p 1 row for 4 rows. Bind off as to k.

FRONT—Work same as back.

FINISHING—Sew underarm seams. Turn back armhole and neck facings to wrong side and hem. Sew shoulder seams. Steam lightly, see page 27.

Style No. 8802

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

		Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SUPRA MOHAIR,		5 balls	5 balls	6 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 10½ Needles — 7 sts = 2 inches 9 rows = 2 inches
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
At bustline	inches	35¼	37½	40
Width of back at underarm	inches	17	18¼	19¼

BACK—With size 6 needles, cast on 60 (64-68) sts. Work k 2, p 2 ribbing for 3 ins., end on wrong side.

With size 10½ needles, work stockinette st—k 1 row, p 1 row—until 7½ ins. above ribbing, end with k row. Mark for underarm.

Armholes—Bind off 3 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 5 (6-7) times; 44 (46-48) sts. Work even until 7½ (7¾-8) ins. above marker, end with k row.

Shoulder Shaping—Bind off 4 sts at beg. of each of next 4 rows; 3 (4-5) sts at beg. of next row; 24 (26-27) sts.

Next row—Bind off first 2 (3-4) sts, loosen loop on right needle and pass ball of yarn through it binding off 3rd (4th-5th) st; k 1, * inc. 1 st in next st, k 1; repeat from *, end last repeat k 2; 32 sts.

NECK RIBBING—With size 6 needles, work k 2, p 2 ribbing for 5½ ins. Bind off loosely in ribbing.

FRONT—With size 6 needles, cast on 64 (68-72) sts. Work same as back until 5 (5½-5¾) ins. above underarm marker, end with p row; 48 (50-52) sts.

Divide for Neck Shaping—K 17 (18-19) sts, place on holder for left side, k 1, * inc. 1 st in next st, k 1; repeat from * 5 times, k 1; place these 20 sts on holder for neck, k to end for right

(Continued on Page 10)

Style No. 8807

Style No. 8802

Style No. 8801

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BUCILLA ALPACA-MIST , 1 oz. balls	5 balls	5 balls	6 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 7—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size F (4).

GAUGE: 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
At bustline	inches	34	36	38
Width of back at underarm	inches	17	18	19

BACK—Cast on 69 (73-77) sts.

Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

Repeat these 2 rows for ribbing for 3 ins., end with row 1.

Inc. row—right side—Work 6 (8-10) sts, k 3, * inc. 1 st in next st, k 2; repeat from * 17 times, work 6 (8-10) sts; 87 (91-95) sts.

Pattern—Row 1—Work 6 sts in ribbing, p 75 (79-83) sts, work 6 sts in ribbing.

Row 2—Work 6 sts in ribbing, k 75 (79-83) sts, work 6 sts in ribbing.

Repeat these 2 rows for pat. until 15 (15¼-15½) ins. above ribbing, end on right side.

Shoulder Shaping—Bind off 6 (7-8) sts at beg. of each of next 2 rows; 6 sts at beg. of each of next 8 rows; 27 (29-31) sts. Work ribbing as on lower edge for 1 in. Bind off loosely in ribbing.

FRONT—Work same as for back until 13½ (13¾-14) ins. above ribbing, end on wrong side.

Divide for Neck—Work 37 (39-41) sts, place on holder for left side; k and place next 13 sts on holder for neck; work 37 (39-41) sts for right side. Dec. 1 st at neck edge every row 4 times; every 2nd row 3 (4-5) times, shaping shoulder as on left side of back when armhole is same length.

Take up 37 (39-41) sts of left side from holder, join yarn at neck edge. Finish to correspond to right side. Do not break yarn.

NECK RIBBING—Beg. at left side of neck, pick up and k 17 (18-19) sts on left neck edge; take up and k 13 sts on front neck; pick up and k 17 (18-19) sts on right neck edge; 47 (49-51) sts. Work ribbing as on back for 1 in. Bind off loosely.

FINISHING—Sew shoulder seams. Beg. at lower edge, sew underarm seams, leaving 6½ (6¾-7) ins. free for armholes. Join yarn at underarm seam, working from right side, work 1 sc in every 2nd row around armholes, join. Fasten off. Steam lightly, see page 27.

Style No. 8802 *(Continued from Page 8)*

side; 17 (18-19) sts. Dec. 1 st at neck edge every row 4 times; every 2nd row 2 times, shaping shoulder as for left side of back when armhole is same length. Take up 17 (18-19) sts of left side, join yarn at neck edge and finish to correspond to right side. Do not break yarn.

NECK RIBBING—With size 6 needles, from right side, pick up and k 18 sts on left side of neck, take up and k 20 sts of front neck, pick up and k 18 sts on right side of neck; 56 sts.

Work k 2, p 2 ribbing for same number of rows as on back neck ribbing. Bind off loosely in ribbing.

Sew shoulder seams. Sew edges of neck ribbing tog. so that seam will be on wrong side when collar is turned back.

ARMHOLE RIBBING — With size 6 needles, from right side, beg. at underarm edge of left front armhole, pick up and k 3 sts in 3 bound-off sts, 70 (74-78) sts on armhole edge, 3 sts in 3 bound-off sts of back armhole; 76 (80-84) sts. Work k 2, p 2 ribbing for ¾ in. Bind off in ribbing.

Work ribbing on right armhole to correspond.

FINISHING — Sew underarm seams. Steam lightly, see page 27.

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8822

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see body measurement chart,* page 27.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SOUFFLÉ	3 balls	4 balls

KNITTING NEEDLES: 1 pair "Boye" Needles Size 7,
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles Size 5.

GAUGE: Size 7 Needles — Stockinette St. — 9 sts = 2 inches
5 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF FINISHED GARMENT:	To fit	32-34 in. Bust	36-38 in. Bust
Width at bustline	inches	36	40
Width of back at underarm	inches	18	20

With size 5 needles cast on 69 (79) sts. P 1 row, k 1 row, p 1 row for hem facing.

Eyelet Row—right side—K 1, * yo, k 2 tog.; repeat from * to end. With size 7 needles p 1 row, k 1 row for 5 rows, end with p row. Inc. 1 st each side of next row; 71 (81) sts. P 1 row. Work eyelet row.
Repeat last 8 rows 5 times; 81 (91) sts.
P 1 row, k 1 row for 7 rows, end with p row. Work eyelet row. Work 3 (1) rows more; 59 (57) rows—about 12 (11½) ins. above first eyelet row. Mark for underarm.

NOTE: Extra length of armhole for larger size compensates for difference in length to underarm.

Armholes—Bind off 4 (5) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Continuing to work eyelet row every 8th row, dec. 1 st each side every 2nd row 5 (7) times more; 61 (65) sts. Work even in pat. until about 5 (5½) ins. above underarm, end with k row—4 rows above 11th eyelet row.

Neck and Shoulders—P 21 (23), put on holder for left side, p 19, put on holder for neck, p remaining 21 (23) sts.

Right Side—Keeping pat., dec. 1 st at neck edge **every** row 6 times; 15 (17) sts. Work even until about 7½ (8) ins. above underarm, end at armhole edge 1 row above 13th eyelet row. Bind off 5 sts at beg. of next row. Bind off 5 (6) sts at beg. of every 2nd row twice.

Left Side—From wrong side, slip 21 (23) sts from holder to size 7 needle. From right side, join yarn at neck edge, dec. 1 st and complete to correspond to right side, reversing shaping.

Neck Band—From wrong side, slip 19 sts from holder to size 7 needle. From right side join yarn at right neck edge at shoulder. With free size 7 needle, pick up and k 18 sts along right neck edge, k 19, pick up and k 18 sts along left neck edge to shoulder. P 1 row, k 1 row, p 1 row. With size 5 needles, work eyelet row. P 1 row, k 1 row, p 1 row for facing. Bind off loosely.

FRONT—Work same as for back.
Sew shoulder seams.

Armhole Facings—From right side beg. at underarm, pick up and k 71 (81) sts. around armhole. P 1 row, k 1 row, p 1 row. With size 5 needles, work eyelet row. P 1 row, k 1 row, p 1 row. Bind off loosely.

FINISHING—Sew side seams matching eyelets. Turn up hem facing at lower edge at first eyelet row and hem to wrong side. Turn down neck and armhole facing at eyelet row and hem to wrong side.
Soufflé needs no blocking, see page 27.

Style No. 8824

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see measurement chart,* page 27.

	Size 10-12	Size 14-16
MATERIALS: BUCILLA GLACÉ, 1 oz. skeins	6 skeins	7 skeins

CROCHET HOOK: "Boye" Steel Crochet Hook, Size 1—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 5 Patterns = 4 inches 5 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	To fit	30-32 in. Bust	34-36 in. Bust
Width at bustline	inches	35	39
Width of back at underarm	inches	17½	19½

(Continued on Page 19)

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8824

Style No. 8822

Style No

Sizes 12-

Instructions are for size 12-14, changes for size 16 page 27.

MATERIALS: **BEAR BRAND or FLEISHER'S "SHETLAND**
or BOTANY SCOTTIE "SHETLAND AND WO
2 oz. skeins

KNITTING NEEDLES: 1 pair each, "Boye" Needles, Siz
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size F (4).

GAUGE: **4 sts = 1 inch** **5 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....

NOTE: Work first row of pat. with size 5 needle and 2nd row with size 11 needle as specified in pat.

BACK—With size 5 needles, cast on 73 (81) sts.

Ribbing—Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Repeat rows 1 and 2 once; repeat row 1 again.

Style No

Sizes 12-

Instructions are for size 12-14, changes for size 16 page 27.

MATERIALS: **FLEISHER'S or BEAR BRAND "SHETLAND**
or BOTANY SCOTTIE "SHETLAND AND WO
2 oz. skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: **Size 9 Needles — 9 sts = 2 inches** **6**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....

BACK—With size 6 needles, cast on 74 (82) sts. Work k 1, p 1 ribbing for 2½ ins., increasing 10 sts evenly spaced across last row; 84 (92) sts.

With size 9 needles, work stockinette st —k 1 row, p 1 row—until 11 ins. above ribbing, end with p row. Mark for underarm.

. 8810 *(left)*

14, 16-18

-18 are in parentheses, *see body measurement chart,*

AND WOOL", OOL",	Size 12-14	Size 16-18
	3 skeins	3 skeins

zes 11 and 5—

To fit	32-34 in. Bust	36-38 in. Bust
.....inches	36½	40½
.....inches	18¼	20¼

Pattern—Row 1—right side—With size 5 needle, k in back loop of each st to end.

Row 2—With size 11 needle, p.

Repeat last 2 rows for pat. until 50 rows—about 10 ins. above ribbing, end on wrong side. Mark for underarm.

Armholes—Bind off 5 sts at beg. of each of next 2 rows.

Dec. row—K 1, slip, k and pass, work to within 3 sts of end, k 2 tog., k 1.

(Continued on Page 23)

. 8804 *(right)*

14, 16-18

5-18 are in parentheses, *see body measurement chart,*

AND WOOL", OL",	Size 12-14	Size 16-18
	4 skeins	5 skeins

rows = 1 inch

To fit	32-34 in. Bust	36-38 in. Bust
.....inches	37	41
.....inches	18½	20½

Armholes—Dec. row—right side—K 1, p 1, k 1, p 1, slip, k and pass, k to within 6 sts of end, k 2 tog., p 1, k 1, p 1, k 1.

Next row—P 1, k 1, p 1, k 1, p to within 4 sts of end, k 1, p 1, k 1, p 1.

Repeat last 2 rows 9 (11) times; 64 (68) sts.

(Continued on Page 23)

Style No. 8809 *(left)*

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: BEAR BRAND or FLEISHER'S "SHETLAND AND WOOL", or BOTANY SCOTTIE "SHETLAND AND WOOL", 2 oz. skeins — Size 12-14: 3 skeins; Size 16-18: 3 skeins

CROCHET HOOK: "Boye" Hook, Size G (5)— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 4 meshes = 2 inches **4 rows = 2 inches**

To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**32-34 in. Bust**	**36-38 in. Bust**
Width at bustline	inches	36	40
Width of back at underarm	inches	18	20

BACK—Ch 75 (83).

NOTE: Mark first row of all pieces for wrong side.

Pattern—Row 1—wrong side—Work 1 hdc in 3rd st from hook—a mesh formed—, * ch 1, skip 1 ch, work 1 hdc in next ch; repeat from * to end of ch; 37 (41) meshes.

Row 2—Ch 2, turn; work 1 hdc in first ch-1 space—a mesh—, * ch 1, 1 hdc in next ch-1 space; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 37 (41) meshes.

Repeat row 2 until 21 rows—about 10 ins. from beg., end on wrong side. Mark for beg. of armholes.

Divide for Back Neck Opening—right side—Ch 2, turn; work 18 (20) mesh for right half of back.

Repeat last row until 13 rows—about 6 ins. above armhole marker, end on right side at neck edge.—34 rows from beg.—about 17 ins.

Neck Shaping—Ch 1, turn; work 1 sc in first mesh, 1 sc in each of next 7 mesh, ch 2, work 1 hdc in next mesh, * ch 1, work 1 hdc in next mesh; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 10 (12) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * 8 (10) times.

Repeat last row once, end at armhole edge. Fasten off.

Left Half of Back—Beg. at center back, from right side, skip center mesh, join yarn in next hdc, ch 2, work 1 hdc in next mesh, * ch 1, work 1 hdc in next mesh; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 18 (20) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * to end.

Repeat last row until 13 rows above armhole marker, end on right side at armhole edge.

(Continued on Page 23)

Style No. 8816 *(right)*

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SOUFFLÉ

	Size 12	Size 14	Size 16
Color A —	1 ball	1 ball	1 ball
Color B —	3 balls	4 balls	4 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.

GAUGE: Size 5 Needles — 5 sts = 1 inch **7 rows = 1 inch**

To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Blouse — Width at bustline	inches	35	37	39
Width of back at underarm	inches	17½	18½	19½

BACK—With size 4 needles and A, cast on 87 (93-97) sts. Work stockinette st —p 1 row, k 1 row—for 1 in. for facing, end with k row.

Turning Ridges—wrong side—K 1 row. P 1 row. K 1 row.

Work stockinette st—k 1 row, p 1 row —for 1 in., end with p row.

Border Ridges—right side—P 1 row. K 1 row. Break A.

With size 5 needles and B, beg. with a k row, work stockinette st until 14 ins. above border, end on wrong side. Mark for underarm.

Armhole Shaping—Row 1—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1; 85 (91-95) sts.

Row 2—P.

Repeat last 2 rows 7 (9-10) times; 71 (73-75) sts. Work even until 7½ (7¾-8) ins. above marker, end on wrong side.

Shoulder Shaping — Bind off 6 sts at beg. of each of next 6 rows; 5 (6-7) sts at beg. of each of next 2 rows. Break B. Join A.

(Continued on Page 24)

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8821

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for sizes 14-16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: **BEAR BRAND or FLEISHER'S or BOTANY WINSOM,** 2 oz. skeins

	Size 10-12	Size 14-16
Color A —	3 skeins	3 skeins
Color B —	1 skein	1 skein
Color C —	1 skein	1 skein

KNITTING NEEDLES: 1 pair "Boye" Needles Size 9— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 9 sts = 2 inches **6 rows = 1 inch**

To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**30-32 in. Bust**	**34-36 in. Bust**
Width at bustline	inches	36	40
Width of back at underarm	inches	18	20

(Continued on Next Page)

Style No. 8821 *(Continued from Page 18)*

BACK—With A, cast on 82 (90) sts.

Rows 1, 3 and 5—wrong side—P 3, * k 4, p 4; repeat from *, end last repeat p 3.

Rows 2, 4 and 6—K 3, * p 4, k 4; repeat from *, end last repeat k 3.

Row 7—Same as row 1. Drop A.

NOTE—Carry yarn not in use loosely along edge.

†**Row 8**—With B, k.

NOTE—K **all** sts on first row of each new color stripe.

Row 9—With B, same as row 1.

Row 10—With B, same as row 2.

Row 11—With B, same as row 1. Drop B.

With care to keep pat. as established, work 2 rows each of C—B—A—B—C, 4 rows each of B—A—B—C—B †, 8 rows of A. Repeat between †'s once. Continuing pat., with A, work 2 ins., end on wrong side. Mark for underarm.

Armholes—Bind off 4 (5) sts at beg. of next 2 rows. With care to keep pat., dec. 1 st each side every 2nd row 6 (7) times; 62 (66) sts. Work even until 5 (5½) ins. above underarm marker, end on wrong side.

Neck and Shoulder Shaping—Work 23 (25) sts, place on holder for right side, bind off 16 sts for neck, work remaining 23 (25) sts.

Left Side—With care to keep pat., keeping armhole edge even, dec. 1 st at neck edge every 2nd row 6 times, end on right side at armhole edge. Bind off 5 (6) sts at beg. of next row for shoulder. Dec. 1 st at beg. of next row at neck edge. Bind off 5 (6) sts at beg. of next row. Work 1 row even. Bind off remaining 6 sts.

Right Side—From right side, slip sts from holder to needle. From wrong side, join A at neck edge and complete to correspond to left side, reversing shaping.

NECKBAND—From right side, beg. at right shoulder with A, pick up and k 49 sts evenly spaced along neck edge to left shoulder. P 1 row, k 1 row for 7 rows. Bind off as to k.

FRONT—Work same as for back.

FINISHING — Sew shoulder and neckband seams.

ARMHOLE BANDS — From right side, beg. at underarm with A, pick up and k 72 sts evenly spaced around armhole. Complete same as for neckband.

Matching stripes, sew side seams. Steam, see page 27. Allow neck and armhole bands to roll to right side as illustrated.

Style No. 8824 *(Continued from Page 12)*

BACK—Ch 138 (150). Work 1 sc in 2nd st from hook and in each st to end; 137 (149) sts.

PATTERN—Row 1—Ch 1, turn, 1 sc in each of first 2 sts, ch 1, skip 1 st, 1 sc in next st, * ch 4, skip 3 sts, 1 sc in next st, ch 1, skip 1 st, 1 sc in next st *; repeat between *'s across row, end 1 sc in last st.

Row 2—right side—Ch 5, turn, 1 sc in space under first ch 1, * ch 2, 3 dc in space under next ch 4, ch 2, 1 sc in space under next ch 1 *; repeat between *'s across row, end ch 2, skip 1 sc, 1 dc in last sc; 22 (24) full shells and ½ shell on each side.

Row 3—Ch 1, turn, 1 sc in first dc, * ch 4, 1 sc in next dc, ch 1, skip 1 dc, 1 sc in next dc *; repeat between *'s across row, end ch 4, 1 sc in 3rd st of turning ch.

Row 4—Ch 3, turn, 3 dc in space under ch 4, * ch 2, 1 sc in space under next ch 1, ch 2, 3 dc in space under next ch 4 *; repeat between *'s across row, end 1 dc in last sc.

Row 5—Ch 1, turn, 1 sc in each of first 2 dc, ch 1, skip 1 dc, 1 sc in next dc, * ch 4, 1 sc in next dc, ch 1, skip 1 dc, 1 sc in next dc *; repeat between *'s across row, end 1 sc in top of turning ch.

Repeat last 4 rows—rows 2 to 5 inclusive—for pat. Work in pat. until about 12 ins. from beg. Mark each side for underarm. Continue pat. as before until 5 (5½) ins. above marker, end on wrong side with row 5.

Right Half of Back—Dividing row—Ch 5, turn, 1 sc in space under first ch 1, repeat between *'s of row 2, 5 (6) times, ch 2, skip 1 sc, 1 dc in next ch 4 space.

Next row—Ch 1, turn, 1 sc in first dc, repeat between *'s of row 3 across row, end ch 4, 1 sc in 3rd st of turning ch. Continue even on sts of right half until 7 (7½) ins. above underarm marker. Fasten off.

Left Half of Back—Skip next 10 ch 4 spaces on last complete row for neck edge, join with slip st in next ch 4 space, ch 5, 1 sc in space under next ch 1, repeat between *'s of row 2, 5 (6) times, ch 2, skip 1 sc, 1 dc in last sc. Complete to correspond to right half.

FRONT—Work same as back.

FINISHING — Sew shoulder and side seams.

BORDER—Row 1—From right side, beg. at side seam on lower edge, work 201 (213) sc evenly spaced around or to desired size, working number of sc divisible by 3, join with slip st in first st.

Picot row—Ch 1, do not turn, from right side, work 1 sc in each of first 2 sc of last row, * 1 sc in next sc, ch 3, 1 sc in top of sc just made—a picot—, 1 sc in each of next 2 sc; repeat from *, end with picot in last sc, join. Fasten off.

NECK BORDER—From right side, work 126 sc evenly spaced around neck edge, join.

Next row—Ch 1, do not turn, work 1 sc in each sc around, join.

Work picot row as before. Fasten off.

ARMHOLE BORDER—Work 72 (78) sc around armholes, join. Finish border as for neck. Block, see page 27.

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8805

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SPICE, 2 oz. skeins — **Size 12:** 3 skeins; **Size 14:** 3 skeins; **Size 16:** 4 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 9 Needles — 9 sts = 2 inches **6 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
At bustline	inches	35	37½	39
Width of back at underarm	inches	17½	18¾	19½

BACK—With size 6 needles, cast on 68 (74-78) sts. Work k 1, p 1 ribbing for 2½ ins., increasing 10 sts evenly spaced across last row of ribbing; 78 (84-88) sts. With size 9 needles, work stockinette st—p 1 row, k 1 row—until 8½ ins. above ribbing, end on wrong side. Mark for underarm.

Armholes—dec. row—K 1, p 1, k 1, p 1, slip, k and pass, k to within 6 sts of end, k 2 tog., p 1, k 1, p 1, k 1.
Next row—P 1, k 1, p 1, k 1, p to within 4 sts of end, k 1, p 1, k 1, p 1. Repeat last 2 rows 8 (9-10) times; 60 (64-66) sts. Keeping 4 sts at each side in ribbing, work even until 6 (6¼-6½) ins. above underarm marker, end on right side.

Next row—Work 19 (20-21) sts, place on holder for left half of back, p 22 (24-24) sts for back neck ribbing, place on holder; finish row; 19 (20-21) sts for right half of back.

Keeping armhole edge even, dec. 1 st at neck edge every row 3 times; 16 (17-18) sts. Work even until 7 (7¼-7½) ins. above underarm marker, end on wrong side at armhole edge. Bind off 8 sts at beg. of next row, finish row. Work 1 row even. Bind off 8 (9-10) sts for shoulder.

Beg. at armhole edge, take up the 19 (20-21) sts of left half from holder. Join yarn at neck edge; dec. 1 st at neck edge, finish row. Finish to correspond to right half.

FRONT—Work same as back.

FRONT NECK RIBBING—Beg. at left shoulder, from right side, with size 6 needle, pick up and k 12 sts on left neck edge, with free size 6 needle, take up the 22 (24-24) sts of front neck from holder and k across them, pick up and k 12 sts on right neck edge; 46 (48-48) sts. Work k 1, p 1 ribbing for 4 ins. Bind off loosely in ribbing.

BACK NECK RIBBING—Beg. at right shoulder, pick up and k 46 (48-48) sts. Work same as front neck ribbing.

FINISHING—Sew seams. Sew side edges of neck ribbing tog. Block, see page 27. Turn neck ribbing in or out as desired.

Style No. 8808

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: BEAR BRAND or FLEISHER'S "SHETLAND AND WOOL", or BOTANY SCOTTIE "SHETLAND AND WOOL", 2 oz. skeins — **Size 12** / **Size 14** / **Size 16**
Color A — 2 skeins / 3 skeins / 3 skeins
Color B — 2 skeins / 2 skeins / 2 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 5 sts = 1 inch **7 rows or rounds = 1 inch**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Width at bustline	inches	33	35	37
Width of back at underarm	inches	16½	17½	18½

BACK—With A, cast on 69 (74-79) sts for facing of hem. K 1 row, p 1 row. **Inc. row**—K 4, * inc. 1 st in next st, k 4; repeat from * across row; 82 (88-94) sts. K 1 row on wrong side for turning ridge of hem, inserting needle into back loop of sts. Working stockinette st—k 1 row, p 1 row—work 4 rows with A for first stripe; drop A. Join B, work 4 rows with B for 2nd stripe; drop B. Repeat these 8 rows for entire blouse, carrying color not in use loosely along edge. Continue in striped pat. until 11¾ (11½-11¼) ins. above turning ridge, end with a k row on 3rd row of A stripe (first row of A stripe—3rd row of B stripe). Mark for underarm.

Armholes—Breaking yarn where necessary to keep pat., bind off 5 (6-7) sts at beg. of each of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4-5) times; 66 (68-70) sts. Work even until armholes measure 5¼ (5½-5¾) ins. above marker, end with a k row on 3rd row of B stripe.

(Continued on Page 22)

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.



Style No. 8805

Style No. 8808

Style No. 8813 *(Shown on Front Cover)*

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS:	**Size 12**	**Size 14**	**Size 16**
BEAR BRAND, FLEISHER'S or BOTANY SOUFFLÉ	3 balls	3 balls	4 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.
"Boye" Steel Hook, Size 2.

GAUGE: Size 5 Needles — 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Width at bustline	inches	34	36	38

BACK—With size 4 needles, cast on 86 (90-96) sts. Work k 1, p 1 ribbing for 1 in.

With size 5 needles, work stockinette st — k 1 row, p 1 row — until 9 ins. above ribbing, end on wrong side. Mark for underarm.

Armholes—Bind off 5 (5-6) sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 4 (5-6) times; 66 (68-70) sts. Work even until 7½ (7¾-8) ins. above underarm marker, end on wrong side.

Shoulder Shaping—Bind off 6 (7-8) sts at beg. of each of next 2 rows; 6 sts at beg. of each of next 4 rows; 30 sts. Work k 1, p 1 ribbing for 2½ ins. Bind off in ribbing.

FRONT—Work same as back until 5 ins. above underarm marker, end on right side; 66 (68-70) sts.

Divide for Neck — P 24 (25-26) sts, place on holder for right half of front, p 18, place on holder for neck; p 24 (25-26) sts for left half of front.
Working on sts of left half, work 1 row even. Bind off 2 sts at beg. of next row. Repeat bind-off at neck edge every 2nd row twice; 18 (19-20) sts. Work even until armhole measures same as right armhole of back, end on wrong side. Shape shoulder as for right shoulder of back.
Take up 24 (25-26) sts of right half from holder. Join yarn at neck edge, bind off 2 sts at beg. of row. Finish to correspond to left half of front.

FRONT NECK RIBBING — With size 5 needles, take up 18 sts of neck from holder. With free size 5 needle, beg. at left shoulder, pick up and k 17 sts along left neck edge, k across 18 sts of neck, pick up and k 17 sts along right neck edge to shoulder; 52 sts. Work k 1, p 1 ribbing for 2½ ins. Bind off loosely in ribbing.

Sew shoulder seams. Sew side edges of neck ribbing tog.

ARMHOLE RIBBING — With size 4 needles, from right side, beg. at underarm, pick up and k 72 (74-76) sts around armhole. Work k 1, p 1 ribbing for 1 in. Bind off in ribbing.

FINISHING—Sew side seams. Sew side edges of armhole ribbing tog. Fold neck ribbing in half and hem bound-off edge to wrong side. Soufflé needs no blocking, see page 27.

Style No. 8808 *(Continued from Page 20)*

Divide for Neck—P 21 (22-23) sts, place these sts on holder for left side; p next 24 sts and place them on separate holder for neck; p to end; 21 (22-23) sts for right side.
Continue in striped pat. on sts of right side, decreasing 1 st at neck edge every row 8 times, end with 4th row of B stripe; break B. With A, k 1 row, p 1 row—armhole should measure about 6¾ (7-7¼) ins. above marker.
Shoulder—With A, bind off 6 (7-8) sts, finish row. Work 1 row even. Bind off 7 sts.

Take up sts of left side from holder and complete to correspond to right side.

FRONT—Same as back.

Neck Hems—Join A on back neck edge at right shoulder, from right side, pick up and k 11 sts on shaped edge of neck; take up and k 24 sts of neck from holder, pick up and k 11 sts on shaped edge to shoulder; 46 sts. P 1 row, k 1 row, p 1 row.
Dec. row—* K 2, k 2 tog. *; repeat between *'s twice more, k 20; repeat between *'s 3 times, k 2; 40 sts.
K 1 row for turning ridge. K 1 row, p 1 row.
Inc. row—* K 2, inc. 1 st in next st *; repeat between *'s twice more, k 20; repeat between *'s 3 times, k 2; 46 sts. Bind off loosely as to p.
Join A on neck edge of front at left shoulder and work neck hem as on back. Sew shoulder seams, sewing side edges of neck hems tog.
Armhole Hems—Join A on left armhole edge at front underarm. From right side, pick up and k 5 (6-7) sts in sts bound off for underarm; 6 (8-10) sts in next 6 (8-10) rows of shaped edge; 53 sts on even edge—picking up about 2 sts in every 3 rows—; 6 (8-10) sts on shaped edge; 5 (6-7) sts in bound-off sts; 75 (81-87) sts. P 1 row, k 1 row, p 1 row.
Dec. row—K 5, * k 2 tog., k 1 *; repeat between *'s 2 (3-4) times more, k to within 13 (16-19) sts of end, repeat between *'s 3 (4-5) times, end last repeat k 5 instead of k 1; 69 (73-77) sts. K 1 row for turning ridge. K 1 row, p 1 row.
Inc. row—K 5, * inc. 1 st in next st, k 1 *; repeat between *'s 2 (3-4) times more, k to within 10 (12-14) sts of end, repeat between *'s 3 (4-5) times, end last repeat k 5 instead of k 1; 75 (81-87) sts. Bind off loosely as to p.
Join A on right back underarm edge, work armhole hem to correspond to left hem. Sew underarm seams. Turn back all hems along turning ridges and hem to wrong side. Block, see page 27.

Style No. 8804 (Continued from Page 15)

Continuing 4 sts each side in ribbing and 56 (60) sts in stockinette st, work even until 6¼ (7) ins.—above underarm marker, end with k row.

Divide for Neck—Work 20 (22) sts and place on strand of yarn for left half of back, p 24 (24) sts and place on another strand of yarn, work remaining 20 (22) sts for right half of back.

Continuing 4 sts in ribbing at armhole edge, dec. 1 st at neck edge every row 3 times; 17 (19) sts. Work even until 7¼ (8) ins. above underarm marker, end at armhole edge with p row.

Shoulder Shaping—Bind off 8 (9) sts at beg. of next row, finish row; 9 (10) sts. Work 1 row even. Bind off remaining 9 (10) sts.

From wrong side, with size 9 needles, take up 20 (22) sts of left half from strand of yarn. Join yarn at neck edge. Continuing 4 sts in ribbing at armhole edge, dec. 1 st at neck edge every row 3 times. Finish to correspond to other half.

BACK NECK RIBBING—From right side, beg. at right shoulder, with size 6 needle, pick up and k 12 (12) sts on right neck edge; slip 24 (24) sts from strand of yarn to free size 6 needle and k them, pick up and k 12 (12) sts on left neck edge; 48 (48) sts. Work k 1, p 1 ribbing for 1 in. Bind off loosely in ribbing.

FRONT—Work same as back.

FRONT NECK RIBBING — From right side, beg. at left shoulder, work ribbing same as on back.

FINISHING—Sew underarm and shoulder seams. Sew side edges of neck ribbing tog. Block, see page 27.

Style No. 8810 (Continued from Page 15)

Next row—P. Repeat last 2 rows 2 (4) times; 57 (61) sts. Work even until 27 (29) rows — about 5½ (6) ins. — above underarm marker, end on right side.

Neck and Shoulder Shaping—P 18 (20) sts, place on holder for left half of back, bind off next 21 sts for neck. P remaining 18 (20) sts for right half of back.

Dec. row—right side—Working on sts of right half of back, work to within 3 sts of end, k 2 tog. inserting needle in *front* of st, k 1.

Next row—P.

Repeat last 2 rows 3 times; 14 (16) sts. K 1 row, p 1 row. Armhole should have 38 (40) rows—about 7½ (8) ins. above armhole marker, end at armhole edge. Bind off 7 (8) sts from armhole edge twice.

Left Half of Back—With size 11 needle, take up 18 (20) sts of left half of back, join yarn at neck edge.

Dec. row—K 1, slip, k and pass, work to end. P 1 row.

Work to correspond to right half of back.

FRONT—Work same as back.

FINISHING—Sew shoulder and side seams.

CROCHET TRIM—Row 1—Beg. at underarm seam of armhole, work 1 row sc around armhole, join with slip st.

Row 2—From right side, working *from left to right*, * with loop on hook, insert hook in next st to right of hook, yo and draw up a loop, yo and draw through 2 loops on hook; repeat from * around armhole. Fasten off.

NECK TRIM—Beg. at left shoulder seam, from right side, work 1 row sc around neck edge. Work next row same as row 2 of armhole. Block, see page 27.

Style No. 8809 (Continued from Page 16)

Neck Shaping—Ch 2, turn; 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * 8 (10) times; work 1 sc in each mesh to end. Fasten off.

Beg. at neck edge, join yarn in first hdc, ch 2, work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 10 (12) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from *, end ch 1, 1 hdc in ch-2 space. Fasten off.

FRONT—Work same as for back until 9 rows above armhole marker, end on right side.

Neck and Shoulder Shaping—Ch 2, turn; work 10 (12) mesh for right half of front, work 1 sc in each of next 17 mesh for neck, ch 2, work 1 hdc in next mesh, * ch 1, 1 hdc in next mesh; repeat from * to end for other half of front; 10 (12) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * to end.

Repeat last row 5 times. Fasten off.

Beg. at neck edge of right half of front, join yarn in first hdc, ch 2, work 1 hdc in next mesh, * ch 1, 1 hdc in next mesh; repeat from * across row.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * across row.

Repeat last row 4 times, end on wrong side at neck edge. Fasten off.

FINISHING—Sew shoulder seams. Sew underarm seams from lower edge to armhole markers.

Beg. at underarm seam at lower edge of garment, from right side, work 1 row sc around entire lower edge. Beg. at underarm seam, work 1 row sc around each armhole. Beg. at lower edge of left back opening, from right side, work 1 row sc around entire neck edge to lower edge of right back opening, keeping work flat. Block, see page 27.

Style No. 8816 (Continued from Page 16)

Neck Border—With size 4 needles and A, k 1 row.

Border Ridges—wrong side—K 1 row. P 1 row.
Work stockinette st—p 1 row, k 1 row —for 1 in., end with k row.

Turning Ridges—wrong side—K 1 row, p 1 row, k 1 row.

Neck Facing—K 1 row, p 1 row for 1 in. Bind off.

FRONT—Work same as back until 13 ins. above border, end on wrong side.

Divide for Neck—K 43 (46-48) sts for left half of front; slip next st to safety pin for neck border; slip remaining 43 (46-48) sts to another holder for right half of front.

Left Half of Front—Work 3 rows even, end with p row.

Neck dec. row — K to within 3 sts of end, k 2 tog., k 1. Repeat neck dec. every 4th row 8 times; every 6th row 3 times, at same time, shaping armhole as on right side of back when same length as back to underarm; 23 (24-25) sts. Work even until same length as back to shoulder.

Shape shoulder as for right side of back.

Right Half of Front—From wrong side with size 5 needles, slip 43 (46-48) sts from holder. Join B at neck edge, k 1 row, p 1 row for 4 rows, end at neck edge.

Neck dec. row—K 1, slip, k and pass, k to end. Finish to correspond to left half, reversing shaping.

FRONT NECK BORDER — With size 4 needles and A, from right side, pick up and k 58 (60-62) sts on left neck edge, k the st from pin, and mark this st for center st, pick up and k 58 (60-62) sts on right neck edge; 117 (121-125) sts.

Row 1 — wrong side — K for border ridge.
Row 2—border ridge—P to within 2 sts of marked center st; p 2 tog., p 1, p 2 tog., p to end; 115 (119-123) sts.
Row 3—P.
Row 4—K to within 2 sts of center st, k 2 tog., k 1, slip, k and pass, k to end; 113 (117-121) sts.
Repeat last 2 rows twice; 109 (113-117) sts.
Row 9—wrong side—K for first turning ridge.
Row 10—Same as row 2; 107 (111-115) sts.
Row 11—K for 3rd turning ridge.
Neck Border Facing — Row 12 — K to within 2 sts of center st, inc. 1 st in next st, k 2, inc. 1 st in next st, k to end; 109 (113-117) sts.
Row 13—P.
Repeat last 2 rows twice; 113 (117-121) sts. Bind off loosely. Sew shoulder seams.

ARMHOLE BORDERS — With size 4 needles and A, from right side, pick up and k 92 (96-100) sts.
K 1 row. P 2 rows. K 1 row. P 1 row. K 1 row. P 1 row.
Dec. Row—K 33 (35-37) sts, * k 2 tog., k 3; repeat from * 5 times, k to end; 86 (90-94) sts.
Wrong side—K 1 row. P 1 row. K 2 rows. P 1 row. K 1 row. P 1 row.
Inc. row—K 33 (35-37) sts, inc. 1 st in next st, * k 3, inc. 1 st in next st; repeat from * 4 times, k to end; 92 (96-100) sts.
P 1 row, k 1 row, p 1 row. Bind off.

FINISHING — Sew underarm seams. Turn back facing at turning ridges and hem to wrong side.

Soufflé needs no blocking, see page 27.

Style No. 8823 (Continued from Page 5)

from *, end last repeat, ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in next dc, 1 dc in top of turning ch.
Row 4—Ch 3, turn, skip first dc, work 1 dc in each of next 2 dc, 1 dc in ch 1; * ch 1, skip 1 dc, 1 dc in next dc, ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in each of next 5 dc, 1 dc in ch 1; repeat from *, end last repeat ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in each of 2 dc, 1 dc in top of turning ch.
Row 5—Ch 3, turn, skip first dc, work 1 dc in each of next 2 dc, * ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in dc, 1 dc in ch 1, ch 1, skip 1 dc, 1 dc in each of next 5 dc; repeat from *, end last repeat, ch 1, skip 1 dc, 1 dc in each of next 2 dc, 1 dc in top of turning ch.
Row 6—Ch 3, turn, skip first dc, work 1 dc in next dc, * ch 1, skip 1 dc, 1 dc in ch 1, 1 dc in each of next 3 dc, 1 dc in ch 1, ch 1, skip 1 dc, 1 dc in each of next 3 dc; repeat from *, end last repeat ch 1, skip 1 dc, 1 dc in next dc, 1 dc in top of turning ch.
Row 7—Ch 4, turn, skip first 2 dc, * work 1 dc in ch 1, 1 dc in each of next 5 dc, 1 dc in ch 1, ch 1, skip 1 dc, 1 dc in next dc, ch 1, skip 1 dc; repeat from *, end last repeat ch 1, skip 1 dc, 1 dc in top of turning ch. Repeat last 6 rows—rows 2 to 7 inclusive—for pat. Work even in pat. until 35 rows—about 14 ins.—from beg., end with pat. row 5. Mark for underarm.

Armholes—Row 1—Leave off 4 sts each side as follows: Ch 1, turn, work 1 sl st in each of first **5** sts, ch 3, 1 dc in next st, keeping pat., work to within 4 sts of end; 83 (93) sts.

Row 2—Dec. row—Ch 3, turn, skip first dc, dec. 1 st as follows: Yo, draw up a loop in each of next 2 sts, yo and through 3 loops, yo and through 2 loops, work in pat. to within 3 sts of end, dec. 1 st as before, work 1 dc in top of turning ch.

Note: Work all decs. 1 st from edge in this way.
Dec. 1 st each side every row 5 (7) times more as for last row; 71 (77) sts. Work even until 18 (20) rows—about 7 (8) ins.—above underarm marker. Fasten off.

FRONT—Work same as back until 29 (31) rows from beg., end on wrong side with pat. row 5 (7); 91 (101) sts. Mark **3 center sts** for front of neck.
Left Half—Row 1—Work to within 3 sts of the 3 center sts, dec. 1 st as before, 1 dc in next st; 43 (48) sts.
Row 2—Ch 3, turn, skip first dc, dec. 1 st, work pat. to end.
Keeping armhole edge even, repeat dec. at neck edge every row 4 (2) times more, end on wrong side; 38 (45) sts. Mark for underarm.
Armhole—Ch 1, turn, leave off 4 sts by working 1 sl st in each of first **5** sts, ch 3, 1 dc in next st, continue pat. across row decreasing 1 st at neck edge. Dec. 1 st each side of each of next 4 (6) rows, then keeping neck edge even, dec. 1 st at armhole edge every row twice more; 23 (26) sts. Work even in pat. until 18 (20) rows above underarm marker. Fasten off.
Right Half — Row 1—Skip 3 marked center sts, from right side, with loop on hook, work 1 dc in next st, dec. 1 st, finish row; 43 (48) sts.

(Continued on Next Page)

Style No. 8823 *(Continued from Page 24)*

Row 2—Ch 3, turn, work pat. to within 3 sts of end, dec. 1 st, 1 dc in last st. Complete to correspond to left half.

AFGHAN ST BORDER FOR LOWER EDGE—Border pat. requires an even number of sts.

Row 1—Beg. on lower edge of back at corner, from right side, draw up a loop in corner ch st, draw up a loop in next ch st, retaining all loops on hook, draw up a loop in each remaining st of foundation ch; 92 (102) loops on hook. Work off loops as follows: Yo and through end loop, * yo and through 2 loops; repeat from * until 1 loop remains on hook.

Row 2—Loop on hook is first st of row, draw up a loop in 2nd and each succeeding vertical bar, again having 92 (102) loops on hook. Work off loops and make popcorns as follows: Yo and through end loop, yo and through 2 loops, * ch 4 for popcorn, yo and through 2 loops, yo and through 2 loops; repeat from * until 1 loop remains on hook.

Row 3—Draw up a loop in 2nd and each remaining vertical bar keeping popcorns on right side of work; 92 (102) loops. Work off loops as for row 1. Fasten off. Work border on lower edge of front in same way.

FRONT NECK BORDER—Beg. on left neck edge of front at shoulder, with afghan hook, from right side, draw up 48 loops on left neck edge, 1 loop in each of 3 sts left free at center front; 47 loops on right neck edge to shoulder; 98 loops. Complete border as for lower edge.

Sew front shoulders to same number of sts at each side of back, leaving edges of front border free and 25 sts free for back of neck.

BACK NECK BORDER—From right side, with afghan hook, draw up 26 loops across back of neck. Complete border as for lower edge.

ARMHOLE BORDERS—Beg. at underarm, from right side with afghan hook, draw up 1 loop in each of 4 sts left off at underarm, 2 loops in end of each row around armhole, or to desired size, 1 loop in each of 4 sts left off at underarm, having an even number of sts. Complete border as for lower edge.

FINISHING—Sew side seams, sewing edge of armhole borders tog. Sew ends of back and front neck borders tog. at shoulders. Block, see page 27.

Style No. 8818 *(Continued from Page 2)*

Sizes	12	14	16	18
Left Half—Continue stockinette st, decreasing 1 st at neck edge every row 10 times.....sts	14	16	17	17
Work even until armhole measures.....ins.	7½	7½	8	8
end at armhole edge.				
Shoulder Shaping—Bind off at beg. of next row.....sts	7	8	9	9
Work 1 row even. Bind off.....sts	7	8	8	8
Right Half—Take up sts of right half. Join yarn at neck edge and complete to correspond to left half.				
FRONT—Work same as back until armhole measures.....ins.	4½	4½	5	5
above underarm marker, end with p row.				
Divide for Neck—K and place on holder.....sts	26	28	29	29
bind off for neck edge.....sts	15	15	15	16
finish row.....sts	26	28	29	29
Continue stockinette st, decreasing 1 st at neck edge every row 12 times.....sts	14	16	17	17
Work even until armhole is same length as on back. Bind off for shoulder as on back. Take up sts of other half. Join yarn at neck edge and complete to correspond to first side.				
FINISHING—Sew shoulder and underarm seams. Soufflé requires no blocking, see page 27.				
CROCHET BORDERS—Lower Edge—From right side, work.....sc	168	176	184	192

around lower edge; join with slip st.

Round 2—Ch 3 (counts as first dc), * skip 1 sc of previous row, 1 dc in next sc, ch 1; repeat from * around, end with slip st in 2nd ch at beg. of round.

Round 3—* Ch 5, skip 1 dc of previous row, work slip st in top of next dc; repeat from *; join with slip st.

Round 4—Work 3 slip sts to center of ch 5, * ch 5, 1 sc under next ch 5; repeat from *; join with slip st.

Round 5—Slip st to center of ch-5 loop, 1 sc under this ch-5 loop, * 5 dc under next ch-5 loop, 1 sc under next ch-5 loop; repeat from *; join with slip st in sc at beg. of round. Fasten off.

Neck Edge—Beg. at right shoulder, work 104 sc around neck edge; join with slip st.

Rounds 2, 3 and 4—Same as lower edge.

Round 5—Same as round 5 on lower edge, working **4 dc** in each shell. Fasten off.

Sleeve Border—Join yarn at underarm seam, from right side, work 80 sc for sizes 12 and 14 and 88 sc for sizes 16 and 18; join with slip st. Place marker for beg. of round.

Round 2—Same as round 2 of lower edge.

Round 3—Same as round 3 of lower edge. Fasten off.

Round 4—Skip first loop of round 3, work 1 sc under next loop, continue as for round 4 of lower edge to within 1 loop of end of round 3. Fasten off.

Round 5—Work 1 sc at center of first loop of round 3, * 4 dc in next loop of round 4, 1 sc in next loop; repeat from *, end 1 sc in last loop of round 3; join with slip st. Fasten off.

E-Z REFERENCE GAUGE AND INTERCHANGEABLE YARN CHART

***Gauges listed are based on stockinette stitch before blocking.**

HOW TO USE THIS CHART:—This is a new type of interchangeable yarn and stitch gauge chart.* It will help you to quickly and easily select interchangeable yarns by stitch gauge as follows:—

Step 1. **Choose garment you wish to make.**
Step 2. **Refer to the stitch gauge given in the instructions for the garment selected.**
Step 3. **Then refer to the same stitch gauge in this chart.**
Step 4. **Garment can be made of any yarn listed for that same stitch gauge on this chart. Check quantities required as yardages may vary in different types of yarns.**

In some instances the row gauge may differ though stitch gauge is the same. Where row gauge differs, this is overcome by knitting more or less rows to obtain required length designated in the instructions. For Raglans, however, you must get row gauge.

STITCHES	ROWS	NEEDLE SIZE	BEAR BRAND YARNS	FLEISHER YARNS	BOTANY YARNS	LAINES DU PINGOUIN
7 sts = 2 inches	**9 rows = 2 inches**	**10½**	Supra Mohair, Bucilla Mohara or Bucilla Mist-Aire			
4 sts = 1 inch	**5 rows = 1 inch**	**10**	Supra Mohair, Bucilla Mohara or Bucilla Mist-Aire			Pingouin Tweed
9 sts = 2 inches	**6 rows = 1 inch**	**10**	"Jiffy" Nylon 'n Wool Mannikin Bambino	"Jiffy" Nylon 'n Wool Mannikin Bambino	 Mannikin Bambino	
" "	" "	**9**	Shetland & Wool Spice, Rainbow Heather Fleece E-M G'twn Ktg	Shetland & Wool Spice, Rainbow Heather Fleece E-M G'twn Ktg	Scottie, Spice Rainbow Heather Fleece G'twn Ktg	Promenade
" "	" "	**8**	Supra Mohair, Bucilla Mohara or Bucilla Mist-Aire			
" "	" "	**7**				Sport Crylor
5 sts = 1 inch	**7 rows = 1 inch**	**8**	Shetland & Wool Spice, Rainbow Heather Fleece. Bucilla Angora	Shetland & Wool Spice, Rainbow Heather Fleece Fleisher Angora	Scottie Spice, Rainbow Heather Fleece	Promenade
" "	" "	**7**	Bucilla Alpaca-Mist E-M Angel Fleece	Bucilla Alpaca-Mist E-M Angel Fleece	Bucilla Alpaca-Mist Fleecy Down	Fantasque
" "	" "	**6**	Wool-Mist Knitting Worsted Heather-Laine 4 ply Orlon Sayelle	Wool-Mist Knitting Worsted Heather-Laine 4 ply Orlon Sayelle	Wool-Mist Knitting Worsted Heather-Laine 4 ply Orlon Sayelle	Pingouin Tweed
" "	" "	**5**	Soufflé	Soufflé	Soufflé	

HELPFUL INFORMATION

STITCH GAUGE—*Important*—Knitted garments are planned on the basis of working to a specified number of stitches and rows to 1 inch; this is referred to as the GAUGE. Required gauge is given at beginning of instructions. If this gauge is not obtained the finished garment will not be the correct size. The size needles recommended will give the average knitter the correct gauge. However, if you do not obtain the gauge required, change the size needles to conform to the tension of your individual knitting; if your knitting is too loose use smaller size needles to tighten gauge; if your knitting is too tight, use larger size needles to loosen gauge. You MUST get gauge given to insure proper size of finished garment.

COMPLETE ABBREVIATIONS

k—knit
p—purl
st(s)—stitch(es)
inc.(s.)—increase(s)
dec.(s.)—decrease(s)
tog.—together
beg.—beginning
pat.(s.)—pattern(s)
in.(s.)—inch(es)
yo—yarn over
ch—chain
sc—single crochet
hdc—half double crochet
dc—double crochet
slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.

SLIP ST—Pass st from one needle to another without working it. Unless otherwise specified, always slip st as to P, **except** when dec.—as in slip, K and pass—, then slip as to K.
An asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.
Double star (**) and Dagger (†) are used in the same way.

INSTRUCTIONS WRITTEN IN MORE THAN ONE SIZE — Where changes for additional sizes are given in parentheses or columns —the (0) zero is used to indicate that no sts or ins. are worked for that particular size.
For example:—"k 2 (0-2), p 2, k 2" means that first size would be k 2, p 2, k 2; second size would be p 2, k 2; third size would be k 2, p 2, k 2.

MEASUREMENTS OF GARMENTS—The sizes of garments in this book are based on the standard body measurements given below. In the instructions an allowance has been made over the body measurements to give sufficient ease and insure correct fit. This allowance varies according to the style of garment, stitch, type of yarn, and gauge of knitting. To determine which size garment you should make, take your own accurate body measurements. Then use instruction for size with body measurements nearest to your own body measurements. If adjustment is necessary be sure to allow the same number of inches over the body measurements as allowed on garment you intend to make. See standard body measurement charts below.

WOMAN'S STANDARD BODY MEASUREMENTS

Sizes	10	12	14 (32)	16 (34)	18 (36)
Bust	30 ins.	32 ins.	34 ins.	36 ins.	38 ins.
Waist	24 ins.	25 ins.	26 ins.	28 ins.	30 ins.
Hip (7 ins. below waist)	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.

MARKERS—Place rings of plastic, metal or yarn on needle where indicated in instructions. To "carry marker," slip it from left needle to right needle without working it.

FOR SOUFFLÉ GARMENTS ONLY

SOUFFLÉ—Needs no blocking.

SOUFFLÉ is:

1. **MACHINE WASHABLE**—Set washing machine for "delicate fabrics" with warm water.
2. **HAND WASHABLE**—Easy and quick to wash. Use any mild detergent or mild soap in warm or cool water. Rinse well and thoroughly at least twice; squeeze out excess water, roll in towel.
   Lay garment flat on smooth surface, shape and pin to original size. Allow to dry. DO NOT HANG TO DRY.
3. **DRIES QUICKLY**—If washed by machine, lay garment flat and dry as for hand washing (see No. 2). *Machine drying is not recommended.*
4. **NEEDS NO BLOCKING**—Soufflé actually needs no blocking when properly dried. If desired, place damp cloth on wrong side of garment then pat lightly (do NOT press) with warm (not hot) iron.
5. **PERMANENTLY MOTH PROOF**—Store it anywhere in perfect safety. Soufflé is permanently moth proof.
6. DO NOT DRY CLEAN.

BROCADE—Instructions are written with allowance for stretch. Pieces should be blocked to given measurements.

BLOCKING OR STEAMING—To give a more tailored finish to knitted garments it is preferable to steam each piece separately. Care should be taken to block pieces to knitted shape. If the garment is sewn together first and blocked carefully after assembling, the result will also be satisfactory.

TO BLOCK OR STEAM SEPARATE PIECES—Lay pieces flat on pressing board, wrong side up, pin edges to board. Steam with moderately hot iron over a wet cloth, taking care not to let weight of iron rest upon any one spot. After blocking leave pinned until thoroughly dry. Do not steam ribbing.

TO BLOCK OR STEAM FINISHED GARMENT—Lay flat on pressing board, wrong side out, pin to board. Steam first one side and when dry, steam other side.
After blocking leave pinned until thoroughly dry, then steam all seams and crocheted edges. *Do not steam ribbing.*

NOTE—Be sure to buy sufficient yarn of each color in the same dye lot number to complete the article. This is not necessary if you are buying Ever-Match Yarn.

NOTE—To bring out the full beauty of Mohair type yarns we suggest that you brush the completed garment lightly with a plastic brush.

"BOYE" Products are used exclusively by our design staff in creating the fashions illustrated in this book and are specified herein in accordance with an agreement whereby the publishers receive consideration for such specification.

PRINTED IN U.S.A.—9

A Brilliant New Idea!

Instructions for Knitted Shell
Page 4

Glamorize YOUR KNITS with Glamour TRIM KITS by Bucilla

You'll be delighted with the many possibilities for adding new chic and sparkle to your favorite sweaters, suits, blouses or dresses, whether they're hand-knit or not.

So easy! Practically automatic! Anyone who can hold a needle can add instant glamour to any costume. What's more you can place the motifs in any arrangement you wish. Everything you need is in each kit—even the correct needles—everything.

There are many different motifs to choose from and they're surprisingly economical too—about $1.50 per kit.

ASK FOR BUCILLA GLAMOUR TRIM KITS in the art needlework department of your favorite store.